

# Quality Report



Generated with Pix4Dmapper version 4.4.12



**Important:** Click on the different icons for:



Help to analyze the results in the Quality Report



Additional information about the sections



Click [here](#) for additional tips to analyze the Quality Report

## Summary



Project	tw_miaoli_tongshiao_zhuntu-river_20190326
Processed	2019-12-19 10:12:46
Camera Model Name(s)	FC6310R_8.8_4864x3648 (RGB)
Average Ground Sampling Distance (GSD)	3.43 cm / 1.35 in
Area Covered	0.209 km <sup>2</sup> / 20.8957 ha / 0.08 sq. mi. / 51.6611 acres
Time for Initial Processing (without report)	30m:00s

## Quality Check



Images	median of 43499 keypoints per image	
Dataset	207 out of 207 images calibrated (100%), all images enabled	
Camera Optimization	0.49% relative difference between initial and optimized internal camera parameters	
Matching	median of 11738.6 matches per calibrated image	
Georeferencing	yes, no 3D GCP	

## Preview




Figure 1: Orthomosaic and the corresponding sparse Digital Surface Model (DSM) before densification.

## Calibration Details



Number of Calibrated Images	207 out of 207
-----------------------------	----------------

## ? Initial Image Positions





Figure 2: Top view of the initial image position. The green line follows the position of the images in time starting from the large blue dot.

## ? Computed Image/GCPs/Manual Tie Points Positions





Uncertainty ellipses 1000x magnified

Figure 3: Offset between initial (blue dots) and computed (green dots) image positions as well as the offset between the GCPs initial positions (blue crosses) and their computed positions (green crosses) in the top-view (XY plane), front-view (XZ plane), and side-view (YZ plane). Dark green ellipses indicate the absolute position uncertainty of the bundle block adjustment result.

### ? Absolute camera position and orientation uncertainties



	X[m]	Y[m]	Z[m]	Omega [degree]	Phi [degree]	Kappa [degree]
Mean	0.002	0.002	0.002	0.002	0.001	0.001
Sigma	0.000	0.000	0.000	0.000	0.000	0.000

### ? Overlap






Figure 4: Number of overlapping images computed for each pixel of the orthomosaic. Red and yellow areas indicate low overlap for which poor results may be generated. Green areas indicate an overlap of over 5 images for every pixel. Good quality results will be generated as long as the number of keypoint matches is also sufficient for these areas (see Figure 5 for keypoint matches).

## Bundle Block Adjustment Details



Number of 2D Keypoint Observations for Bundle Block Adjustment	2503688
Number of 3D Points for Bundle Block Adjustment	917071
Mean Reprojection Error [pixels]	0.166

### Internal Camera Parameters

FC6310R\_8.8\_4864x3648 (RGB). Sensor Dimensions: 11.407 [mm] x 8.556 [mm]

EXIF ID: FC6310R\_8.8\_4864x3648

	Focal Length	Principal Point x	Principal Point y	R1	R2	R3	T1	T2
Initial Values	3666.840 [pixel] 8.600 [mm]	2420.300 [pixel] 5.676 [mm]	1835.990 [pixel] 4.306 [mm]	-0.270	0.112	-0.032	0.000	-0.001
Optimized Values	3648.779 [pixel] 8.557 [mm]	2421.395 [pixel] 5.679 [mm]	1848.236 [pixel] 4.335 [mm]	-0.269	0.115	-0.036	0.001	0.000
Uncertainties (Sigma)	0.062 [pixel] 0.000 [mm]	0.052 [pixel] 0.000 [mm]	0.078 [pixel] 0.000 [mm]	0.000	0.000	0.000	0.000	0.000



## 2D Keypoints Table



	Number of 2D Keypoints per Image	Number of Matched 2D Keypoints per Image
Median	43499	11739
Mn	25269	3478
Max	66666	23490
Mean	44729	12095

## 3D Points from 2D Keypoint Matches



	Number of 3D Points Observed
In 2 Images	643922
In 3 Images	140204
In 4 Images	55405
In 5 Images	27780
In 6 Images	16147
In 7 Images	9882
In 8 Images	6383
In 9 Images	4286
In 10 Images	3165
In 11 Images	2195
In 12 Images	1706
In 13 Images	1261
In 14 Images	935
In 15 Images	745
In 16 Images	590
In 17 Images	493
In 18 Images	388
In 19 Images	321
In 20 Images	226
In 21 Images	182
In 22 Images	164

In 23 Images	117
In 24 Images	101
In 25 Images	87
In 26 Images	57
In 27 Images	65
In 28 Images	55
In 29 Images	36
In 30 Images	23
In 31 Images	29
In 32 Images	12
In 33 Images	14
In 34 Images	16
In 35 Images	14
In 36 Images	11
In 37 Images	6
In 38 Images	10
In 39 Images	7
In 40 Images	4
In 41 Images	5
In 42 Images	3
In 43 Images	3
In 44 Images	2
In 45 Images	3
In 46 Images	1
In 47 Images	2
In 48 Images	2
In 49 Images	2
In 51 Images	1
In 52 Images	2
In 56 Images	1

## 2D Keypoint Matches






Figure 5: Computed image positions with links between matched images. The darkness of the links indicates the number of matched 2D keypoints between the images. Bright links indicate weak links and require manual tie points or more images. Dark green ellipses indicate the relative camera position uncertainty of the bundle block adjustment result.

## Relative camera position and orientation uncertainties

	X[m]	Y[m]	Z[m]	Omega [degree]	Phi [degree]	Kappa [degree]
Mean	0.005	0.005	0.004	0.003	0.003	0.002
Sigma	0.002	0.002	0.001	0.001	0.001	0.001

## Geolocation Details

## ? Absolute Geolocation Variance



Min Error [m]	Max Error [m]	Geolocation Error X [%]	Geolocation Error Y [%]	Geolocation Error Z [%]
-	-0.03	0.00	0.00	0.00
-0.03	-0.03	0.00	0.00	0.48
-0.03	-0.02	0.00	0.00	0.97
-0.02	-0.01	0.00	0.48	2.90
-0.01	-0.01	0.97	1.45	14.98
-0.01	0.00	53.14	46.86	35.27
0.00	0.01	42.03	50.24	29.95
0.01	0.01	3.38	0.48	8.21
0.01	0.02	0.48	0.48	2.90
0.02	0.03	0.00	0.00	2.42
0.03	0.03	0.00	0.00	0.48
0.03	-	0.00	0.00	1.45
Mean [m]		0.000014	-0.000020	0.000043
Sigma [m]		0.003191	0.002810	0.009232
RMS Error [m]		0.003191	0.002811	0.009232

Min Error and Max Error represent geolocation error intervals between -1.5 and 1.5 times the maximum accuracy of all the images. Columns X, Y, Z show the percentage of images with geolocation errors within the predefined error intervals. The geolocation error is the difference between the initial and computed image positions. Note that the image geolocation errors do not correspond to the accuracy of the observed 3D points.

## ? Relative Geolocation Variance



Relative Geolocation Error	Images X [%]	Images Y [%]	Images Z [%]
[-1.00, 1.00]	97.10	98.07	94.69
[-2.00, 2.00]	100.00	100.00	100.00
[-3.00, 3.00]	100.00	100.00	100.00
Mean of Geolocation Accuracy [m]	0.009351	0.009351	0.019240
Sigma of Geolocation Accuracy [m]	0.000290	0.000290	0.000904

Images X, Y, Z represent the percentage of images with a relative geolocation error in X, Y, Z.

Geolocation Orientational Variance	RMS [degree]
Omega	0.802
Phi	0.886
Kappa	2.727

Geolocation RMS error of the orientation angles given by the difference between the initial and computed image orientation angles.

# Initial Processing Details



## System Information



Hardware	CPU: Intel(R) Xeon(R) CPU E3-1505Mv5 @ 2.80GHz RAM: 32GB GPU: Intel(R) HD Graphics P530 (Driver: 23.20.16.4973)
Operating System	Windows 10 Pro, 64-bit

## Coordinate Systems



Image Coordinate System	WGS 84
Output Coordinate System	TWD97 / TM2 zone 121



Processing Options



Detected Template	DJI P4 RTK*
Keypoints Image Scale	Full, Image Scale: 1
Advanced: Matching Image Pairs	Aerial Grid or Corridor
Advanced: Matching Strategy	Use Geometrically Verified Matching: yes
Advanced: Keypoint Extraction	Targeted Number of Keypoints: Automatic
Advanced: Calibration	Calibration Method: Geolocation Based Internal Parameters Optimization: All External Parameters Optimization: All Rematch: Auto, yes

Point Cloud Densification details



Processing Options



Image Scale	multiscale, 1/2 (Half image size, Default)
Point Density	Optimal
Minimum Number of Matches	3
3D Textured Mesh Generation	yes
3D Textured Mesh Settings:	Resolution: Medium Resolution (default) Color Balancing: yes
LOD	Generated: no
Advanced: 3D Textured Mesh Settings	Sample Density Divider: 1
Advanced: Image Groups	group1
Advanced: Use Processing Area	yes
Advanced: Use Annotations	yes
Time for Point Cloud Densification	03h:07m:50s
Time for Point Cloud Classification	12m:31s
Time for 3D Textured Mesh Generation	33m:26s

Results



Number of Generated Tiles	1
Number of 3D Densified Points	19511846
Average Density (per m <sup>3</sup> )	86.77

DSM, Orthomosaic and Index Details



Processing Options



DSM and Orthomosaic Resolution	1 x GSD (3.43 [cm/pixel])
DSM Filters	Noise Filtering: yes Surface Smoothing: yes, Type: Sharp
Raster DSM	Generated: yes Method: Inverse Distance Weighting Merge Tiles: yes
Orthomosaic	Generated: yes Merge Tiles: yes GeoTIFF Without Transparency: no Google Maps Tiles and KML: yes
Raster DTM	Generated: yes Merge Tiles: yes
DTM Resolution	10 x GSD (3.43 [cm/pixel])
Time for DSM Generation	43m:40s
Time for Orthomosaic Generation	01h:37m:41s
Time for DTM Generation	03m:15s

Time for Contour Lines Generation	00s
Time for Reflectance Map Generation	00s
Time for Index Map Generation	00s