Quality Report



Generated with Pix4Denterprise version 4.4.12



Important: Click on the different icons for:

- ? Help to analyze the results in the Quality Report
- Additional information about the sections



Click here for additional tips to analyze the Quality Report

Summary

(

Project	tw_taichung_longjing_shanjiao-channel_20190409
Processed	2020-01-11 05:25:18
Camera Model Name(s)	FC6310R_8.8_5472x3648 (RGB)
Average Ground Sampling Distance (GSD)	3.68 cm / 1.45 in
Area Covered	0.797 km ² / 79.6887 ha / 0.31 sq. mi. / 197.0171 acres
Time for Initial Processing (without report)	56m:38s

Quality Check



? Images	median of 48546 keypoints per image	②
? Dataset	1261 out of 1261 images calibrated (100%), all images enabled	②
? Camera Optimization	0.2% relative difference between initial and optimized internal camera parameters	②
Matching	median of 9152.96 matches per calibrated image	②
? Georeferencing	yes, no 3D GCP	Δ








Figure 1: Orthomosaic and the corresponding sparse Digital Surface Model (DSM) before densification.

Calibration Details



Number of Calibrated Images	1261 out of 1261
Number of Geolocated Images	1261 out of 1261





Figure 2: Top view of the initial image position. The green line follows the position of the images in time starting from the large blue dot.



Uncertainty ellipses 1000x magnified

Figure 3: Offset between initial (blue dots) and computed (green dots) image positions as well as the offset between the GCPs initial positions (blue crosses) and their computed positions (green crosses) in the top-view (XY plane), front-view (XZ plane), and side-view (YZ plane). Dark green ellipses indicate the absolute position uncertainty of the bundle block adjustment result.

Absolute camera position and orientation uncertainties

	X [m]	Y [m]	Z [m]	Omega [degree]	Phi [degree]	Kappa [degree]
Mean	0.003	0.003	0.003	0.002	0.002	0.002
Sigma	0.000	0.000	0.000	0.000	0.000	0.000






Figure 4: Number of overlapping images computed for each pixel of the orthomosaic.

Red and yellow areas indicate low overlap for which poor results may be generated. Green areas indicate an overlap of over 5 images for every pixel. Good quality results will be generated as long as the number of keypoint matches is also sufficient for these areas (see Figure 5 for keypoint matches).

Bundle Block Adjustment Details

(1)

Number of 2D Keypoint Observations for Bundle Block Adjustment	11541501
Number of 3D Points for Bundle Block Adjustment	4231535
Mean Reprojection Error [pixels]	0.119


Internal Camera Parameters

☐ FC6310R_8.8_5472x3648 (RGB). Sensor Dimensions: 12.833 [mm] x 8.556 [mm]

1

EXIF ID: FC6310R_8.8_5472x3648

	Focal Length	Principal Point x	Principal Point y	R1	R2	R3	T1	T2
Initial Values	3658.300 [pixel] 8.580 [mm]	2722.500 [pixel] 6.385 [mm]	1835.100 [pixel] 4.304 [mm]	-0.269	0.112	-0.033	0.000	-0.001
Optimized Values	3650.831 [pixel] 8.562 [mm]	2726.353 [pixel] 6.394 [mm]	1847.052 [pixel] 4.332 [mm]	-0.267	0.111	-0.032	0.001	0.000
Uncertainties (Sigma)	0.027 [pixel] 0.000 [mm]	0.032 [pixel] 0.000 [mm]	0.032 [pixel] 0.000 [mm]	0.000	0.000	0.000	0.000	0.000



The correlation between camera internal parameters determined by the bundle adjustment. White indicates a full correlation between the parameters, ie. any change in one can be fully compensated by the other. Black indicates that the parameter is completely independent, and is not affected by other parameters.



The number of Automatic Tie Points (ATPs) per pixel, averaged over all images of the camera model, is color coded between black and white. White indicates that, on average, more than 16 ATPs have been extracted at the pixel location. Black indicates that, on average, 0 ATPs have been extracted at the pixel location. Click on the image to the see the average direction and magnitude of the re-projection error for each pixel. Note that the vectors are scaled for better visualization. The scale bar indicates the magnitude of 1 pixel error.

② 2D Keypoints Table



Number of 2D Keypoints per Image		Number of Matched 2D Keypoints per Image	
Median	48546	9153	
Min	22122	1105	


Max	73485	20251
Mean	47992	9153

? 3D Points from 2D Keypoint Matches

1

	Number of 3D Points Observed
In 2 Images	2704885
In 3 Images	829591
In 4 Images	339638
In 5 Images	160762
In 6 Images	83142
In 7 Images	46085
In 8 Images	25798
In 9 Images	15414
In 10 Images	9329
In 11 Images	5812
In 12 Images	3650
In 13 Images	2440
In 14 Images	1538
In 15 Images	1121
In 16 Images	697
In 17 Images	479
In 18 Images	347
In 19 Images	238
In 20 Images	156
In 21 Images	94
In 22 Images	85
In 23 Images	70
In 24 Images	52
In 25 Images	30
In 26 Images	31
In 27 Images	16
In 28 Images	9
In 29 Images	7
In 30 Images	4
In 31 Images	7
In 32 Images	1
In 35 Images	4
In 36 Images	1
In 37 Images	1
In 40 Images	1

•



25 222 444 666 888 1111 1333 1555 1777 2000

Figure 5: Computed image positions with links between matched images. The darkness of the links indicates the number of matched 2D keypoints between the images. Bright links indicate weak links and require manual tie points or more images.

Geolocation Details ? Absolute Geolocation Variance

Min Error [m]	Max Error [m]	Geolocation Error X [%]	Geolocation Error Y [%]	Geolocation Error Z [%]
-	-0.03	0.00	0.00	0.00
-0.03	-0.02	0.00	0.00	0.16
-0.02	-0.02	0.00	0.00	0.63
-0.02	-0.01	0.00	0.00	2.70
-0.01	-0.01	1.19	0.79	13.01
-0.01	0.00	47.98	50.04	32.99
0.00	0.01	50.04	48.14	32.28
0.01	0.01	0.71	0.95	14.91
0.01	0.02	0.08	0.08	3.01
0.02	0.02	0.00	0.00	0.24
0.02	0.03	0.00	0.00	0.00
0.03	-	0.00	0.00	0.08
Mean [m]	-0.000023 0.000012 0.000080		0.000080	
Sigma [m] 0.002383 0.002344		0.002344	0.006932	
RMS Error [m]	RMS Error [m] 0.002384 0.002344 0.006932		0.006932	

Min Error and Max Error represent geolocation error intervals between -1.5 and 1.5 times the maximum accuracy of all the images. Columns X, Y, Z show the percentage of images with geolocation errors within the predefined error intervals. The geolocation error is the difference between the initial and computed image positions. Note that the image geolocation errors do not correspond to the accuracy of the observed 3D points.

Relative Geolocation Variance



Relative Geolocation Error	Images X [%]	Images Y [%]	Images Z [%]
[-1.00, 1.00]	99.68	99.92	98.81

[-2.00, 2.00]	100.00	100.00	99.92
[-3.00, 3.00]	100.00	100.00	100.00
Mean of Geolocation Accuracy [m]	0.009685	0.009685	0.017841
Sigma of Geolocation Accuracy [m]	0.000595	0.000595	0.000735

Images X, Y, Z represent the percentage of images with a relative geolocation error in X, Y, Z.

Geolocation Orientational Variance	RMS [degree]
Omega	1.135
Phi	0.895
Карра	2.554

Geolocation RMS error of the orientation angles given by the difference between the initial and computed image orientation angles.

Initial Processing Details

System Information

(1)

Hardware	CPU: Intel(R) Xeon(R) Platinum 8124M CPU @ 3.00GHz RAM: 69GB GPU: no info (Driver: unknown)
Operating System	Linux 4.15.0-1054-aws x86 64

Coordinate Systems

1

Image Coordinate System	WGS 84
Output Coordinate System	TWD97 / TM2 zone 121

Processing Options

A

Detected Template	No Template Available
Keypoints Image Scale	Full, Image Scale: 1
Advanced: Matching Image Pairs	Aerial Grid or Corridor
Advanced: Matching Strategy	Use Geometrically Verified Matching: yes
Advanced: Keypoint Extraction	Targeted Number of Keypoints: Automatic
Advanced: Calibration	Calibration Method: Geolocation Based Internal Parameters Optimization: All External Parameters Optimization: All Rematch: Auto, no

Point Cloud Densification details

... 🖳

Processing Options

•

Image Scale	multiscale, 1/2 (Half image size, Default)
Point Density	Optimal
Minimum Number of Matches	3
3D Textured Mesh Generation	yes
3D Textured Mesh Settings:	Resolution: Medium Resolution (default) Color Balancing: yes
LOD	Generated: no
Advanced: 3D Textured Mesh Settings	Sample Density Divider: 1
Advanced: Image Groups	group1
Advanced: Use Processing Area	yes
Advanced: Use Annotations	yes

Time for Point Cloud Densification	02h:21m:40s
Time for Point Cloud Classification	08m:02s
Time for 3D Textured Mesh Generation	48m:06s

Results

A		_	
	-		١,
		-	

Number of Generated Tiles	6
Number of 3D Densified Points	105871610
Average Density (per m ³)	101.46

DSM, Orthomosaic and Index Details



Processing Options



DSM and Orthomosaic Resolution	1 x GSD (3.68 [cm/pixel])
DSM Filters	Noise Filtering: yes Surface Smoothing: yes, Type: Sharp
Raster DSM	Generated: yes Method: Inverse Distance Weighting Merge Tiles: yes
Orthomosaic	Generated: yes Merge Tiles: yes GeoTIFF Without Transparency: no Google Maps Tiles and KML: no
Raster DTM	Generated: yes Merge Tiles: yes
DTM Resolution	10 x GSD (3.68 [cm/pixel])
Time for DSM Generation	19m:13s
Time for Orthomosaic Generation	54m:49s
Time for DTM Generation	01m:44s
Time for Contour Lines Generation	00s
Time for Reflectance Map Generation	00s
Time for Index Map Generation	00s